



Standridge Granite Corp. has been in the granite surface plate industry since 1966 serving companies and government facilities worldwide

Our expertise and experience have been reinforced by our determined adherence to Federal Specification GGG-P-463c and recently to the more modern revision of this specification, ASME B89.3.7-2013 which is the current surface plate standard in use today in the USA.

We are proud to be a certified ISO 9001 manufacturer with an A2LA accredited ISO/IEC 17025 laboratory which meets the requirements of ANSI/NCSL Z540-1.

We offer a complete selection of granite surface plates, steel support stands, and metrology accessories, with substantial inventories of finished and semi-finished products on hand at all times to insure prompt delivery.

Custom sizes and granite machine bases quoted on request.
Email: sales@standridge.com



PRODUCTS MANUFACTURED IN THE USA

BLACK GRANITE SURFACE PLATES

ASME B89.3.7-2013 Fed Spec GGG-P-463c

Per Manufacturer's Spec for plates smaller than 12" x 18"

TRACEABLE TO NIST

or equivalent national or international organization

TWO ACCURACY CERTIFICATION INCLUDED
ISO 17025 accredited cert available at extra charge

SURFACE PLATES AA GRADE (LABORATORY)

SIZE INCHES W x L x T	0-LEDGE		2-LEDGE		4-LEDGE		OVERALL ACCURACY	REPEAT READING	SHIP WT LB
	US \$	Part#	US \$	Part#	US \$	Part#			
8 x 12 x 2	195.00	AA0-8x12x2		N/A		N/A	.000050"	.000035"	28
9 x 12 x 3	225.00	AA0-9x12x3		N/A		N/A	.000050"	.000035"	40
12 x 12 x 3	258.00	AA0-12x12x3		N/A		N/A	.000050"	.000035"	54
12 x 18 x 3	324.00	AA0-12x18x3	374.00	AA2-12x18x3	432.00	AA4-12x18x3	.000050"	.000035"	81
18 x 18 x 4	541.00	AA0-18x18x4	630.00	AA2-18x18x4	704.00	AA4-18x18x4	.000050"	.000035"	156
18 x 24 x 4	672.00	AA0-18x24x4	740.00	AA2-18x24x4	849.00	AA4-18x24x4	.000075"	.000035"	208
24 x 24 x 4	918.00	AA0-24x24x4	989.00	AA2-24x24x4	1,059.00	AA4-24x24x4	.000075"	.000045"	278
24 x 36 x 6	1,373.00	AA0-24x36x6	1,483.00	AA2-24x36x6	1,619.00	AA4-24x36x6	.0001"	.000045"	601
24 x 48 x 6	1,896.00	AA0-24x48x6	2,021.00	AA2-24x48x6	2,304.00	AA4-24x48x6	.000150"	.000045"	802
30 x 48 x 6	2,400.00	AA0-30x48x6	2,569.00	AA2-30x48x6	2,718.00	AA4-30x48x6	.000175"	.000045"	1,002
36 x 36 x 6	1,995.00	AA0-36x36x6	2,190.00	AA2-36x36x6	2,397.00	AA4-36x36x6	.000150"	.000045"	902
36 x 48 x 6	2,813.00	AA0-36x48x6	2,985.00	AA2-36x48x6	3,370.00	AA4-36x48x6	.0002"	.000045"	1,203
36 x 60 x 8	3,513.00	AA0-36x60x8	3,790.00	AA2-36x60x8	4,210.00	AA4-36x60x8	.000250"	.000060"	1,966
36 x 72 x 10	4,317.00	AA0-36x72x10	4,734.00	AA2-36x72x10	5,265.00	AA4-36x72x10	.0003"	.000060"	2,914
48 x 48 x 8	3,993.00	AA0-48x48x8	4,184.00	AA2-48x48x8	4,487.00	AA4-48x48x8	.0002"	.000060"	2,097
48 x 60 x 8	4,565.00	AA0-48x60x8	5,088.00	AA2-48x60x8	5,440.00	AA4-48x60x8	.0003"	.000060"	2,621
48 x 72 x 10	5,402.00	AA0-48x72x10	5,719.00	AA2-48x72x10	6,136.00	AA4-48x72x10	.000350"	.000060"	3,885
48 x 96 x 12	8,964.00	AA0-48x96x12	9,178.00	AA2-48x96x12	9,605.00	AA4-48x96x12	.0005"	.000075"	5,920

SURFACE PLATES A GRADE (INSPECTION)

SIZE INCHES W x L x T	0-LEDGE		2-LEDGE		4-LEDGE		OVERALL ACCURACY	REPEAT READING	SHIP WT LB
	US \$	Part#	US \$	Part#	US \$	Part#			
8 x 12 x 2	149.00	A0-8x12x2		N/A		N/A	.0001"	.000060"	28
9 x 12 x 3	183.00	A0-9x12x3		N/A		N/A	.0001"	.000060"	40
12 x 12 x 3	213.00	A0-12x12x3		N/A		N/A	.0001"	.000060"	54
12 x 18 x 3	268.00	A0-12x18x3	324.00	A2-12x18x3	374.00	A4-12x18x3	.0001"	.000060"	81
18 x 18 x 3	432.00	A0-18x18x3	484.00	A2-18x18x3	599.00	A4-18x18x3	.0001"	.000060"	121
18 x 24 x 3	515.00	A0-18x24x3	570.00	A2-18x24x3	617.00	A4-18x24x3	.000150"	.000060"	162
24 x 24 x 3	706.00	A0-24x24x3	804.00	A2-24x24x3	918.00	A4-24x24x3	.000150"	.000070"	216
24 x 36 x 4	973.00	A0-24x36x4	1,090.00	A2-24x36x4	1,229.00	A4-24x36x4	.0002"	.000070"	416
24 x 48 x 6	1,550.00	A0-24x48x6	1,668.00	A2-24x48x6	1,864.00	A4-24x48x6	.0003"	.000070"	802
30 x 48 x 6	1,943.00	A0-30x48x6	2,108.00	A2-30x48x6	2,257.00	A4-30x48x6	.000350"	.000070"	1,002
36 x 36 x 6	1,645.00	A0-36x36x6	1,838.00	A2-36x36x6	1,955.00	A4-36x36x6	.0003"	.000070"	902
36 x 48 x 6	2,252.00	A0-36x48x6	2,405.00	A2-36x48x6	2,613.00	A4-36x48x6	.0004"	.000070"	1,203
36 x 60 x 6	2,917.00	A0-36x60x6	3,094.00	A2-36x60x6	3,404.00	A4-36x60x6	.0005"	.000080"	1,503
36 x 72 x 8	3,790.00	A0-36x72x8	4,073.00	A2-36x72x8	4,565.00	A4-36x72x8	.0006"	.000080"	2,359
48 x 48 x 6	3,046.00	A0-48x48x6	3,237.00	A2-48x48x6	3,543.00	A4-48x48x6	.0004"	.000080"	1,603
48 x 60 x 6	4,037.00	A0-48x60x6	4,383.00	A2-48x60x6	4,758.00	A4-48x60x6	.0006"	.000080"	2,004
48 x 72 x 8	4,495.00	A0-48x72x8	4,806.00	A2-48x72x8	5,265.00	A4-48x72x8	.0007"	.000080"	3,145
48 x 96 x 10	7,802.00	A0-48x96x10	8,000.00	A2-48x96x10	8,399.00	A4-48x96x10	.001"	.0001"	4,933



0-LEDGE



2-LEDGE



4-LEDGE

\$175.00 ORDER MINIMUM

SPECIAL SIZES QUOTED ON REQUEST

ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

EXPORT HANDLING FEE WILL APPLY FOR SHIPMENTS OUTSIDE OF USA

HEAT TREATED WOOD PACKAGING QUOTED ON REQUEST

BLACK GRANITE SURFACE PLATES

ASME B89.3.7-2013 Fed Spec GGG-P-463c

Per Manufacturer's Spec for plates smaller than 12" x 18"

SURFACE PLATES B GRADE (TOOLROOM)

SIZE INCHES W x L x T	0-LEDGE		2-LEDGE		4-LEDGE		OVERALL ACCURACY	REPEAT READING	SHIP WT LB
	US \$	Part#	US \$	Part#	US \$	Part#			
8 x 12 x 2	133.00	B0-8x12x2		N/A		N/A	.0002"	.000110"	28
9 x 12 x 3	148.00	B0-9x12x3		N/A		N/A	.0002"	.000110"	40
12 x 12 x 3	174.00	B0-12x12x3		N/A		N/A	.0002"	.000110"	54
12 x 18 x 3	219.00	B0-12x18x3	268.00	B2-12x18x3	324.00	B4-12x18x3	.0002"	.000110"	81
18 x 18 x 3	353.00	B0-18x18x3	416.00	B2-18x18x3	482.00	B4-18x18x3	.0002"	.000110"	121
18 x 24 x 3	374.00	B0-18x24x3	432.00	B2-18x24x3	496.00	B4-18x24x3	.0003"	.000110"	162
24 x 24 x 3	600.00	B0-24x24x3	651.00	B2-24x24x3	760.00	B4-24x24x3	.0003"	.000120"	216
24 x 36 x 4	818.00	B0-24x36x4	918.00	B2-24x36x4	1,059.00	B4-24x36x4	.0004"	.000120"	416
24 x 48 x 6	1,273.00	B0-24x48x6	1,495.00	B2-24x48x6	1,689.00	B4-24x48x6	.0006"	.000120"	802
30 x 48 x 6	1,632.00	B0-30x48x6	1,797.00	B2-30x48x6	1,948.00	B4-30x48x6	.0007"	.000120"	1,002
36 x 36 x 6	1,434.00	B0-36x36x6	1,667.00	B2-36x36x6	1,775.00	B4-36x36x6	.0006"	.000120"	902
36 x 48 x 6	1,832.00	B0-36x48x6	2,004.00	B2-36x48x6	2,213.00	B4-36x48x6	.0008"	.000120"	1,203
36 x 60 x 6	2,252.00	B0-36x60x6	2,425.00	B2-36x60x6	2,740.00	B4-36x60x6	.001"	.000160"	1,503
36 x 72 x 6	2,985.00	B0-36x72x6	3,234.00	B2-36x72x6	3,649.00	B4-36x72x6	.0012"	.000160"	1,804
48 x 48 x 6	2,388.00	B0-48x48x6	2,577.00	B2-48x48x6	2,882.00	B4-48x48x6	.0008"	.000160"	1,603
48 x 60 x 6	3,094.00	B0-48x60x6	3,443.00	B2-48x60x6	3,825.00	B4-48x60x6	.0012"	.000160"	2,004
48 x 72 x 6	3,864.00	B0-48x72x6	4,176.00	B2-48x72x6	4,565.00	B4-48x72x6	.0014"	.000160"	2,405
48 x 96 x 8	6,196.00	B0-48x96x8	6,355.00	B2-48x96x8	6,695.00	B4-48x96x8	.002"	.0002"	3,947

STEEL SUPPORT STANDS

SIZE INCHES W x L	PLATE THICKNES S	STATIONARY STAND		CASTERED STAND with BRAKES		SHIP WT LB
		US \$	Part#	US \$	Part#	
12 x 18	up to 4	596.00	SS12x18-MAX4	725.00	CSB12x18-MAX4	95
18 x 18	up to 4	612.00	SS18x18-MAX4	781.00	CSB18x18-MAX4	95
18 x 24	up to 4	627.00	SS18x24-MAX4	795.00	CSB18x24-MAX4	95
24 x 24	up to 4	668.00	SS24x24-MAX4	820.00	CSB24x24-MAX4	100
24 x 36	up to 4	773.00	SS24x36-MAX4	916.00	CSB24x36-MAX4	120
24 x 36	5 to 6	832.00	SS24x36-MAX6	982.00	CSB24x36-MAX6	200
24 x 48	up to 6	873.00	SS24x48-MAX6	1,053.00	CSB24x48-MAX6	200
30 x 48	up to 6	905.00	SS30x48-MAX6	1,089.00	CSB30x48-MAX6	220
36 x 36	up to 6	894.00	SS36x36-MAX6	1,072.00	CSB36x36-MAX6	210
36 x 48	up to 8	926.00	SS36x48-MAX8	1,187.00	CSB36x48-MAX8	225
36 x 60	up to 8	1,014.00	SS36x60-MAX8	1,287.00	CSB36x60-MAX8	245
36 x 72	up to 10	1,109.00	SS36x72-MAX10	1,446.00	CSB36x72-MAX10	260
48 x 48	up to 8	1,089.00	SS48x48-MAX8	1,391.00	CSB48x48-MAX8	250
48 x 60	up to 8	1,179.00	SS48x60-MAX8	1,650.00	CSB48x60-MAX8	275
48 x 72	up to 10	1,316.00	SS48x72-MAX10	1,878.00	CSB48x72-MAX10	380
48 x 96	up to 12	1,618.00	SS48x96-MAX12	2,414.00	CSB48x96-MAX12	530

PREMIUM GRANITE CLEANER #S-9689	
1 Pint	\$29.00
Case of 12 Pints	\$348.00
Wt. = 15 lbs/case	



STANDARD WORKING HEIGHT OF STAND WITH PLATE IS 36"
 MEASURED FROM THE TOP OF THE PLATE TO THE FLOOR.
 IF TALLER STAND IS REQUIRED ADD \$30.00 PER INCH OVER 36"
 IF SHORTER STAND IS REQUIRED NO EXTRA CHARGE

USE STAND SPECIFICATION FORM #4500
 WHEN ORDERING STAND FOR CUSTOMER'S EXISTING PLATE
 PRICES VALID ON STANDS FOR STANDRIDGE BRAND PLATES
 OTHERS QUOTED ON REQUEST

VINYL COVERS

SURFACE PLATE COVERS	
Part#	US \$
VC-12x18	125.00
VC-18x18	128.00
VC-18x24	133.00
VC-24x24	135.00
VC-24x36	138.00
VC-24x36	138.00
VC-24x48	149.00
VC-30x48	153.00
VC-36x36	152.00
VC-36x48	155.00
VC-36x60	160.00
VC-36x72	164.00
VC-48x48	163.00
VC-48x60	174.00
VC-48x72	178.00
VC-48x96	269.00

**STATE THICKNESS OF
PLATE WHEN ORDERING
COVERS**
 (standard color is black)



THREE-POINT SUPPORT STANDS

for surface plates per ASME B89.3.7-2013 and Fed Spec GGG-P-463c



Stationary "20%" Design



Stationary "Box" Design



Castered "Box" Design

STANDRIDGE stands are constructed with three-point suspension to properly support your granite surface plate. All **STANDRIDGE** plates are marked with three suspension points on the bottom of the plate, which coincide with the three suspension points on the top of the stand. The alignment of these three points will ensure the guaranteed accuracy of your plate. Stands are constructed from welded steel to provide exceptional strength and stability. Painted a durable gray finish. A 36" working height is provided unless otherwise specified. Powder coat paint finish or custom colors available for an additional charge.

STATIONARY STANDS

Stationary stands include leveling bolts on the bottom of each leg.

CASTERED STANDS with BRAKES

The same quality construction as our stationary box design, but our castered stand is equipped with two swivel locking casters and two rigid casters to allow the plate and stand to be easily rolled. Leveling bolts are located on top of the stand.

STAND TYPES FOR STANDARD PLATES		
Stationary	12" x 18" to 36" x 36"	Box design
Castered		
Stationary	30" x 48" or Larger	20% design
Castered	30" x 48" or Larger	Box design

*Add 20% to cost of stand not manufactured per standard spec.



CUSTOM STANDS

Special design and material requirements available.

Made to your specifications/drawings.
 Design assistance available

PEDESTALS AND LEVELING JACKS

For maximum support on large plates, an economical solution is a pedestal and leveling jack system. The granite pedestals are custom made to meet the required working height. The adjustable wedge jack between the pedestal and plate provides for leveling.

SURFACE PLATE COVERS

Prevent abrasive build up on your precision surface plates with **STANDRIDGE** surface plate covers. Each cover is made of heavy gauge leather-like vinyl with a soft inner lining. Be sure to state length, width, and thickness of surface plate when ordering cover. Standard color is **black**.



PREMIUM GRANITE CLEANER

Penetrates the granite surface to loosen dirt, grime, and residue. It leaves the surface clean, which cuts down wear on precision surfaces.

Sold in pint size squeeze bottles.




STAND SPECIFICATION FORM

STANDS FOR GRANITE SURFACE PLATES

This form is required only when ordering a stand for customer's existing plate.

STANDS ARE CUSTOM ORDERS. THEY CANNOT BE RETURNED. PLEASE MEASURE CAREFULLY! BEFORE WE CAN PROCESS YOUR ORDER, WE MUST HAVE THE FOLLOWING INFORMATION:

TYPE OF STAND:	<input type="checkbox"/> STATIONARY	<input type="checkbox"/> CASTERED with BRAKES	
NUMBER OF LEDGES ON THE SURFACE PLATE TO BE USED WITH THIS STAND	<input type="checkbox"/> 0-LEDGE	<input type="checkbox"/> 2-LEDGE	<input type="checkbox"/> 4-LEDGE
LENGTH AND WIDTH OF TOP OF PLATE	_____ "	X	_____ "
LENGTH AND WIDTH OF BOTTOM OF PLATE	_____ "	X	_____ "
TOTAL OVERALL THICKNESS OF PLATE	_____ "		
BRAND/MANUFACTURER OF PLATE*	_____		
*If brand/manufacturer is unknown, we will manufacture to industry standard.			
NOTE: For Starrett Brand, state when manufactured: <input type="checkbox"/> before year 2008 <input type="checkbox"/> year 2008 or after Add 20% to price of stand for all Starrett Brand Plates and stands not manufactured per standard spec.			
STANDARD WORKING HEIGHT OF THE STAND IS 36" OVERALL UNLESS STATED OTHERWISE. (Measured from the top of the granite plate to the floor) IF TALLER STAND IS REQUIRED, ADD \$30.00 PER INCH OVER 36" IF SHORTER STAND IS REQUIRED, NO EXTRA CHARGE Desired overall working height of stand _____ "			



0-LEDGE



2-LEDGE



4-LEDGE

CUSTOMER NAME: _____	PO#: _____
ORDERED BY: _____	SIGNED: _____

PLEASE COMPLETE and SEND THIS FORM to
STANDRIDGE at sales@standridge.com or fax 562/941-3804

BLACK GRANITE METROLOGY ACCESSORIES

Includes Calibration Certificate traceable to N.I.S.T.
 or equivalent national or international organization
ISO 17025 accredited cert available at extra charge

COMPARATOR STANDS

with SURFACE PLATE BASE

STANDARD
 CLAMP
 FOR LUG BACK
 INDICATOR



COMPARATOR STAND WITH STANDARD 10" POST & CLAMP

Includes 1.250" x 10" high column with **Standard** clamp

Approx. 2 1/2" throat clearance measured from column
 to center line of indicator stem

Standard Clamp with fine adjustment accepts all lug back AGD indicators

For 8" x 12" or smaller – Maximum column height is 10"

For 9" x 12" or larger – All column heights acceptable

We stock 1.250" dia. x 10" and 1.250" dia. x 18" columns.

For 18" columns, add \$200.00 to the list price.

COMPARATOR
 STAND
 "Standard
 Location"
 for
 rectangular plate

PLATE SIZE inches	LABORATORY Grade AA			INSPECTION Grade A			TOOLROOM Grade B			SHIP WT	
	W x L x T	US \$	Overall accuracy	Part#	US \$	Overall accuracy	Part#	US \$	Overall accuracy	Part#	
											LBS
6 x 6 x 2	528.00	.000050"	CS6X6X2AAST	470.00	.0001"	CS6X6X2AST	437.00	.0002"	CS6X6X2BST	18	
8 x 12 x 2	546.00	.000050"	CS8X12X2AAST	484.00	.0001"	CS8X12X2AST	453.00	.0002"	CS8X12X2BST	35	
9 x 12 x 3	655.00	.000050"	CS9X12X3AAST	593.00	.0001"	CS9X12X3AST	506.00	.0002"	CS9X12X3BST	50	
12 x 18 x 2	713.00	.000050"	CS12X18X2AAST	635.00	.0001"	CS12X18X2AST	560.00	.0002"	CS12X18X2BST	63	
18 x 24 x 3	1,170.00	.000075"	CS18X24X3AAST	1,002.00	.000150"	CS18X24X3AST	802.00	.0003"	CS18X24X3BST	167	

COMPARATOR STAND WITH SPECIAL 10" POST & CLAMP

Includes 1.250" dia. or 1.365" dia. x 10" high column with **Special** clamp

Approx. 4.75" throat clearance measured from column
 to center line of indicator stem

Special clamp with fine adjustment accepts stem drop indicators

Special column not available for 8" x 12" or smaller

We stock 1.250" dia. or 1.365" dia. x 10" and 1.250" dia. x 18" columns

For 18" columns, add \$240.00 to the list price.


SPECIAL
 POST AND CLAMP
 ACCEPTS
 STEM DROP
 INDICATOR



PLATE SIZE inches	LABORATORY Grade AA			INSPECTION Grade A			TOOLROOM Grade B			SHIP WT	
	W x L x T	US \$	Overall accuracy	Part#	US \$	Overall accuracy	Part#	US \$	Overall accuracy	Part#	
											LBS
9 x 12 x 3	1,101.00	.000050"	CS9X12X3AASP	1,040.00	.0001"	CS9X12X3ASP	954.00	.0002"	CS9X12X3BSP	56	
12 x 18 x 2	1,161.00	.000050"	CS12X18X2AASP	1,083.00	.0001"	CS12X18X2ASP	1,007.00	.0002"	CS12X18X2BSP	69	
18 x 24 x 3	1,617.00	.000075"	CS18X24X3AASP	1,448.00	.000150"	CS18X24X3ASP	1,249.00	.0003"	CS18X24X3BSP	173	

Mounting location for column must be specified when ordering

Notate: "Standard" or Optional"



"Standard Location"
 for
 rectangular plates



"Optional Location"
 for
 rectangular plates




Square plates
 made with
 "Standard Location"

BLACK GRANITE METROLOGY ACCESSORIES

Includes Calibration Certificate traceable to N.I.S.T.
or equivalent national or international organization


ISO 17025 accredited cert available at extra charge



3-Face
One large face and two edges flat and square to each other with lightening holes

4-Face
Two large faces flat and parallel and two edges flat and square to each other and large faces

Calibrates X-Y-Z axis on:
CNC machines
Milling machines
Coordinate measuring machines



5-Face
One large face & four edges flat, square & parallel to each other with lightening holes

6-Face
Two large faces parallel & four edges flat, square & parallel to each other and large faces with lightening holes

Number of lightening holes vary with size of square

TRI-SQUARES

(ACCURACIES PER 6 INCHES)
PRICE EACH

Size inches L x H x W	LABORATORY		INSPECTION		(ACCURACIES PER 6 INCHES)		
	Grade AA .000050/6"	US \$	Part#	Grade A .0001/6"	US \$	Part#	
3-Face		3-Face		3-Face		3-Face	
9 x 12 x 3	1,356.00	TS9X12X3AA3	1,131.00	TS9X12X3A3	1,288.00	TS9X18X3A3	
9 x 18 x 3	1,581.00	TS9X18X3AA3	1,536.00	TS12X18X3A3	2,706.00	TS18X24X3A3	
12 x 18 x 3	1,928.00	TS12X18X3AA3	2,706.00	TS18X24X3A3	3,397.00	TS24X24X3A3	
18 x 24 x 3	3,397.00	TS18X24X3AA3	3,397.00	TS24X24X3A3	4,588.00	TS24X36X3A3	
24 x 24 x 3	4,186.00	TS24X24X3AA3	3,895.00	TS24X36X3A3			
24 x 36 x 3	4,588.00	TS24X36X3AA3					
4-Face		4-Face		4-Face		4-Face	
9 x 12 x 3	1,718.00	TS9X12X3AA4	1,433.00	TS9X12X3A4	1,644.00	TS9X18X3A4	
9 x 18 x 3	1,948.00	TS9X18X3AA4	1,936.00	TS12X18X3A4	3,149.00	TS18X24X3A4	
12 x 18 x 3	2,344.00	TS12X18X3AA4	2,249.00	TS18X24X3A4	3,864.00	TS24X24X3A4	
18 x 24 x 3	3,864.00	TS18X24X3AA4	3,894.00	TS24X24X3A4	4,712.00	TS24X36X3A4	
24 x 24 x 3	4,712.00	TS24X24X3AA4	4,471.00	TS24X36X3A4	5,227.00	TS24X36X3AA4	
24 x 36 x 3	5,227.00	TS24X36X3AA4					

MASTER SQUARES

(ACCURACIES PER 6 INCHES)
PRICE EACH

Size inches L x H x W	LABORATORY		INSPECTION		(ACCURACIES PER 6 INCHES)		
	Grade AA .000050/6"	US \$	Part#	Grade A .0001/6"	US \$	Part#	
5-Face		5-Face		5-Face		5-Face	
12 x 12 x 3	1,553.00	MS12X12X3AA5	1,253.00	MS12X12X3A5	1,549.00	MS14X14X3A5	
14 x 14 x 3	1,935.00	MS14X14X3AA5	1,549.00	MS14X14X3A5	2,784.00	MS16X16X3A5	
16 x 16 x 3	2,784.00	MS16X16X3AA5	2,249.00	MS16X16X3A5	3,284.00	MS18X18X3A5	
18 x 18 x 3	3,284.00	MS18X18X3AA5	2,650.00	MS18X18X3A5	3,932.00	MS24X24X4AA5	
24 x 24 x 4	3,932.00	MS24X24X4AA5	3,349.00	MS24X24X4A5			
6-Face		6-Face		6-Face		6-Face	
12 x 12 x 3	1,957.00	MS12X12X3AA6	1,581.00	MS12X12X3A6	2,437.00	MS14X14X3A6	
14 x 14 x 3	2,437.00	MS14X14X3AA6	1,953.00	MS14X14X3A6	3,509.00	MS16X16X3A6	
16 x 16 x 3	3,509.00	MS16X16X3AA6	2,835.00	MS16X16X3A6	4,137.00	MS18X18X3A6	
18 x 18 x 3	4,137.00	MS18X18X3AA6	3,341.00	MS18X18X3A6	4,956.00	MS24X24X4AA6	
24 x 24 x 4	4,956.00	MS24X24X4AA6	4,218.00	MS24X24X4A6			

All granite products available in custom sizes and thickness, with threaded inserts, or without lightening holes


EXPORT HANDLING FEE WILL APPLY FOR SHIPMENTS OUTSIDE OF USA
HEAT TREATED WOOD PACKAGING QUOTED ON REQUEST

METROLOGY ACCESSORIES

CARRY/STORAGE CASES

PELICAN CASE 1550 and 1600 case

- Watertight, crushproof and dustproof
- Open cell core with solid wall design – strong, lightweight
- Pressure Equalization Valve O-ring seal
- Comfortable rubber over-molded handle
- Stainless steel hardware
- 2 level Pick 'N' Pluck™ foam with convoluted lid foam
- Color: Black



1600
1550

1560

PELICAN CASE 1560 rolling case

- Same features as above
- Including 2 wheels: strong polyurethane w/stainless steel bearings
- Retractable extension handle

RECOMMENDED FOR	SIZE inches	STYLE	CASE Part#	PRICE US \$	EXTERNAL CASE SIZE L x W x D	CASE WT
Master Square	12 x 12 x 3					
Tri-Square	9 x 12 x 3	Carrying	1550	453.00	21" x 17" x 8"	12 lbs
Master Square	14 x 14 x 3					
Tri-Square	9 x 18 x 3	Carrying	1600	535.00	24" x 19.5" x 9"	14 lbs
12 x 18 x 3						
Master Square	12 x 12 x 3					
Tri-Square	9 x 12 x 3	Rolling	1560	557.00	22" x 18" x 10.5"	20 lbs
	9 x 18 x 3					
	12 x 18 x 3					

CUSTOM CASES

Prices available upon request

- Designed for maximum protection of granite accessories
- Specifically made to fit each product
- Dust and water resistant
- Exterior- Fiberglass or ABS plastic laminate on plywood
- Reinforced aluminum and steel edges
- Custom foam interior
- Locking closures, if requested
- Color: Blue




CASES ARE NON-REFUNDABLE

BLACK GRANITE METROLOGY ACCESSORIES

Includes Calibration Certificate traceable to N.I.S.T.
or equivalent national or international organization

ISO 17025 accredited cert available at extra charge



"V & Base"

90° Vee centered with and parallel to base


"Universal"

90° Vee centered with and parallel to bottom and four sides flat, square and parallel.

VEE BLOCKS

(ACCURACIES PER 6 INCHES)
(PRICE PER MATCHED PAIR)

Size inches W x H x L	LABORATORY		INSPECTION				
	Grade AA .0001/6"	US \$	Part#	Grade A .0002/6"	US \$	Part#	
V & Base		V & Base		V & Base		V & Base	
2 x 2 x 2 1/2	878.00	VB2X2X2.5AAVB	790.00	VB2X2X2.5AVB			
3 x 3 x 3	1,018.00	VB3X3X3AAVB	906.00	VB3X3X3AVB			
4 x 4 x 4	1,159.00	VB4X4X4AAVB	995.00	VB4X4X4AVB			
6 x 6 x 6	1,753.00	VB6X6X6AAVB	1,552.00	VB6X6X6AVB			
Universal		Universal		Universal		Universal	
2 x 2 x 2 1/2	1,421.00	VB2X2X2.5AAU	1,159.00	VB2X2X2.5AU			
3 x 3 x 3	1,548.00	VB3X3X3AAU	1,261.00	VB3X3X3AU			
4 x 4 x 4	1,681.00	VB4X4X4AAU	1,497.00	VB4X4X4AU			
6 x 6 x 6	2,431.00	VB6X6X6AAU	2,104.00	VB6X6X6AU			



1-Face

Accuracy on one long narrow edge


2-Face

Two long narrow edges flat and parallel to each other

STRAIGHT EDGES

(ACCURACIES PER 12 INCHES)
(PRICE EACH)

Size inches W x H x L	LABORATORY		INSPECTION				
	Grade AA .000050/12"	US \$	Part#	Grade A .0001/12"	US \$	Part#	
1-Face		1-Face		1-Face		1-Face	
1 1/2 x 4 x 24	619.00	SE1.5X4X24AA	528.00	SE1.5X4X24A			
1 1/2 x 5 x 36	870.00	SE1.5X5X36AA	720.00	SE1.5X5X36A			
2 x 6 x 48	1,144.00	SE2X6X48AA	1,041.00	SE2X6X48A			
2-Face		2-Face		2-Face		2-Face	
1 1/2 x 4 x 24	834.00	SE1.5X4X24AA2	713.00	SE1.5X4X24A2			
1 1/2 x 5 x 36	1,175.00	SE1.5X5X36AA2	973.00	SE1.5X5X36A2			
2 x 6 x 48	1,545.00	SE2X6X48AA2	1,405.00	SE2X6X48A2			



2-Face

Long narrow edges flat and parallel to each other

4-Face

Long narrow and wide edges flat and parallel to each other

PARALLELS


(ACCURACIES PER 12 INCHES)
(PRICE PER MATCHED PAIR)

Size inches W x H x L	LABORATORY		INSPECTION				
	Grade AA .000050/12"	US \$	Part#	Grade A .0001/12"	US \$	Part#	
2-Face		2-Face		2-Face		2-Face	
3/4 x 1 x 6	337.00	PL.75X1X6AA2	298.00	PL.75X1X6A2			
1 x 2 x 12	461.00	PL1X2X12AA2	397.00	PL1X2X12A2			
1 1/2 x 3 x 18	852.00	PL1.5X3X18AA2	723.00	PL1.5X3X18A2			
1 1/2 x 4 x 30	1,232.00	PL1.5X4X30AA2	1,025.00	PL1.5X4X30A2			
4-Face		4-Face		4-Face		4-Face	
3/4 x 1 x 6	423.00	PL.75X1X6AA4	365.00	PL.75X1X6A4			
1 x 2 x 12	546.00	PL1X2X12AA4	479.00	PL1X2X12A4			
1 1/2 x 3 x 18	1,082.00	PL1.5X3X18AA4	898.00	PL1.5X3X18A4			
1 1/2 x 4 x 30	1,796.00	PL1.5X4X30AA4	1,574.00	PL1.5X4X30A4			

BLACK GRANITE METROLOGY ACCESSORIES

Includes Calibration Certificate traceable to N.I.S.T.
 or equivalent national or international organization

ISO 17025 accredited cert available at extra charge




Also called **1-2-3 Blocks**
 6 faces finished flat, sized,
 square, and parallel
 Sold individually or in pairs

STEP BLOCKS

1" x 2" x 3"	LABORATORY Grade AA		INSPECTION Grade A	
Overall accuracy	.000050"		.0001"	
Size accuracy within	±.0001"		±.00015"	
	US \$	Part#	US \$	Part#
Matched Pair	896.00	SB123PRAA		SB123PRA
Individual Block	538.00	SB123EAAA	468.00	SB123EAA


ANGLE PLATES

(ACCURACIES PER 6 INCHES)
 PRICE PER EACH



Style for 6 x 6 x 6
 or smaller


SIZE inches W x H x L	LABORATORY Grade AA .000050/6"		INSPECTION Grade A .0001/6"	
	US \$	Part#	US \$	Part#
2-Face		2-Face		
4 x 4 x 4	423.00	AP4X4X4AA2	367.00	AP4X4X4A2
4½ x 6 x 6	492.00	AP4.5X6X6AA2	423.00	AP4.5X6X6A2
6 x 6 x 6	624.00	AP6X6X6AA2	528.00	AP6X6X6A2
6 x 9 x 12	1,236.00	AP6X9X12AA2	1,022.00	AP6X9X12A2
4-Face		4-Face		
4 x 4 x 4	546.00	AP4X4X4AA4	459.00	AP4X4X4A4
4½ x 6 x 6	763.00	AP4.5X6X6AA4	640.00	AP4.5X6X6A4
6 x 6 x 6	809.00	AP6X6X6AA4	690.00	AP6X6X6A4
6 x 9 x 12	1,860.00	AP6X9X12AA4	1,518.00	AP6X9X12A4



Style for 6 x 9 x 12
 or larger

2-Face Bottom and adjacent square faces finished flat & square to each other

4-Face Same as 2-face, with adjacent sides finished flat, square, and parallel



These angle plates have metal discs located on both the main face and on one side for magnetizing purposes.

Threaded inserts for clamping are located on the other main face.

INSERTED ANGLE PLATES

(ACCURACIES PER 6 INCHES)
 PRICE PER EACH

SIZE inches W x H x L	LABORATORY Grade AA .000050/6"		INSPECTION Grade A .0001/6"	
	US \$	Part#	US \$	Part#
2-Face		2-Face		
4 x 4 x 4	1,236.00	IAP4X4X4AA2	1,102.00	IAP4X4X4A2
6 x 6 x 6	1,398.00	IAP6X6X6AA2	1,277.00	IAP6X6X6A2
6 x 9 x 12	4,049.00	IAP6X9X12AA2	3,095.00	IAP6X9X12A2
4-Face		4-Face		
4 x 4 x 4	1,333.00	IAP4X4X4AA4	1,187.00	IAP4X4X4A4
6 x 6 x 6	1,765.00	IAP6X6X6AA4	1,618.00	IAP6X6X6A4
6 x 9 x 12	4,445.00	IAP6X9X12AA4	3,783.00	IAP6X9X12A4